Service. Technology. Innovation.

Finalized New Quality Measures for Inclusion in MIPS Year 3 (2019) & Future Years

Quality#: 468 – Continuity of Pharmacotherapy for Opioid Use Disorder

Description: Percentage of adults aged 18 years and older with pharmacotherapy for opioid use disorder (OUD) who have at least 180 days of continuous treatment.
High Priority Measure: Yes
Collection Type: MIPS CQMs Specifications

Quality#: 469 - Average Change in Functional Status Following Lumbar Spine Fusion Surgery

Description: For patients age 18 and older undergoing lumbar spine fusion surgery, the average change from pre-operative functional status to 1 year (9 to 15 months) post-operative functional status using the Oswestry Disability Index (ODI version 2.1a) patient reported outcome tool.
High Priority Measure: Yes (Patient Reported Outcome)
Collection Type: MIPS CQMs Specifications

Quality#: 470 - Average Change in Functional Status Following Total Knee Replacement Surgery

Description: For patients age 18 and older undergoing total knee replacement surgery, the average change from pre-operative functional status to 1 year (9 to 15 months) post-operative functional status using the Oxford Knee Score (OKS) patient reported outcome tool.
High Priority Measure: Yes (Patient Reported Outcome)
Collection Type: MIPS CQMs Specifications

Quality#: 471 -Average Change in Functional Status Following Lumbar Discectomy Laminotomy Surgery

Description: For patients age 18 and older undergoing lumbar discectomy laminotomy surgery, the average change from pre-operative functional status to 3 months (6 to 20 weeks) post-operative functional status using the Oswestry Disability Index (ODI version 2.1a) patient reported outcome tool.
High Priority Measure: Yes (Patient Reported Outcome)
Collection Type: MIPS CQMs Specifications

Quality#: 472 - Appropriate use of DXA scan in Women under 65 years who do Not Meet the Risk Factor Profile for Osteoporotic Fracture

Description: Percentage of female patients aged 50 to 64 without select risk factors for osteoporotic fracture who received an order for a dual-energy x-ray absorptiometry (DXA) scan during the measurement period.
High Priority Measure: Yes (Appropriate Use)
Collection Type: eCQM Specifications

Quality#: 473 - Average Change in Leg Pain Following Lumbar Spine Fusion Surgery

Description: For patients age 18 and older undergoing lumbar spine fusion surgery, the average change from pre-operative leg pain to 1 year (9 to 15 months) post-operative leg pain using the Visual Analog Scale (VAS) patient reported outcome tool.
High Priority Measure: Yes (Patient Reported Outcome)
Collection Type: MIPS CQMs Specifications

Quality#: N/A - Ischemic Vascular Disease: Use of Aspirin or Anti-Platelet Medication

Description: The percentage of patients 18-75 years of age who had a diagnosis of ischemic vascular disease (IVD) and were on daily aspirin or antiplatelet medication, unless allowed contraindications or exceptions are present.
High Priority Measure: No
Collection Type: Medicare Part B Claims Measure Specifications, MIPS CQMs Specifications

Quality#: 474 - Zoster (Shingles) Vaccination

Description: The percentage of patients 50 years of age and older who have a Varicella Zoster (shingles) vaccination
High Priority Measure: No
Collection Type: MIPS CQMs Specifications

Quality#: 475 - HIV Screening

Description: Percentage of patients 15-65 years of age who have ever been tested for human immunodeficiency virus (HIV).
High Priority Measure: No
Collection Type: eCQM Specification

Quality#: N/A - Falls: Screening, Risk Assessment, and Plan of Care to Prevent Future Falls

Description: This is a clinical process measure that assesses falls prevention in older adults. The measure has three rates:

- Screening for Future Fall Risk: Percentage of patients aged 65 years and older who were screened for future fall risk at least once within 12 months.
- Falls Risk Assessment: Percentage of patients aged 65 years and older with a history of falls who had a risk assessment for falls completed within 12 months.
- Plan of Care for Falls: Percentage of patients aged 65 years and older with a history of falls who had a plan of care for falls documented within 12 months.

High Priority Measure: Yes
Collection Type: Medicare Part B Claims Measure Specifications, CMS Web Interface Measure Specifications, MIPS CQMs Specifications